

Commercial Laundry Facilities

Bulletin B15

This bulletin is designed to assist you in submitting the required documentation for a complete application.

Existing and proposed commercial and community laundry facilities that are (or will be) connected to the Pierce County Sewer System are required to provide Supplemental Information along with the Minor Industrial User Pretreatment Review application.

This document is only a guide and is not a replacement or revision of the Pierce County Code and associated sewer design and construction standards.

How do I find and submit the forms I need?

Download standard plans and forms at PierceCountyWa.gov/SewerFormsAndPlans.

Submit PDF copies of the plans, engineering reports, and specifications with this application at PierceCountyWa.gov/Permit. If you have questions, please contact us at (253) 798-7202.

What supplemental information do I have to provide when submitting my Pretreatment Review Application?

In addition to the standard submittal requirements for a Pretreatment Review Application, please provide the following information:

1. Provide the following:
 - a. Lint trap drawing or cut sheet. Please note the lint trap is to be a wall-mounted or an in-floor type trap. A sock type is not acceptable. See [Bulletin B6 Traps](#) for a listing of pre-approved lint traps. Note that residential-size washers in commercial or community establishments also require lint traps.
 - b. The Floor Plan must show location of sinks/tubs, workstations, clothes washer, location of chemical storage, overall layout of new operation.
 - c. The Plumbing Plan may be shown on Floor Plan, and must show plumbing fixtures and new connection points
2. Will this business offer dry cleaning?
 - a. If the business will only have drop off, and no dry cleaning operations on-site, provide written confirmation of this with the submittal.
 - b. If there will be dry cleaning on-site, provide information on how dry cleaning solutions will be disposed of. Dry cleaning solution is not to be discharged to the sanitary sewer system. Any user of the sewer system shall not discharge separator sludge or water, or any other dangerous waste down the sewer